
TAB42AMPSHW | LockVise™ Metal Locking Tablet Holder with Drill-Base Mount and USB Cable



Not shown:

IBA-41400 CAFIQC3

TAB004KL

RMS2XAMPS-MET-SH


Includes:


- 1 LockVise™ Metal Locking Tablet Holder Kit (TAB004KL)
- 1 4" Drill Base Mount with Security Hardware (RMS2XAMPS-MET-SH)
- 1 Lightning to USB Charging Cable (IBA-41400)
- 1 Quick Charge Hardwire Vehicle Power Adapter (CAFIQC3)


Compatibility: This holder ensures compatibility with a wide range of tablets, including the most popular models, from 7"-10.5" in screen size.

Install an AMPS adapter plate on the tablet holder


Unscrew one of the adapters from the drill base pedestal by turning the knob counterclockwise. Align the adapter plate at the back of the holder. Insert the four mounting screws through the AMPS 4-hole ball adapter plate and into the holder. Tighten the screws securely to finish the installation.








Rotate the shaft knob counterclockwise to loosen it. Attach the 25mm ball adapters to both ends. After adjusting to your preferred angle, swap the knob with the long screw from the security hardware. Secure the position using the allen wrench.






Mount Installation

To secure the pedestal to the mounting surface, align the screws (not included) with the AMPS adapter. If necessary, detach the shaft from the adapter to streamline the installation process.



Modify the Tablet Holder Width

To customize the tablet holder width for your device, loosen the screws positioned at the bottom sides of the holder. After adjusting, tighten the screws to keep the tablet securely in place.



WARNING

CHOKING HAZARD - Keep out of reach from children under 8 yrs. as they can choke or suffocate on parts included with this system

Arkon® is not responsible for any damages caused to your device or yourself due to the installation or use of this mount. Do not install Arkon® products near areas that intefere with operation of vehicles. Arkon® assumes no responsibility or liability for injury or death as a result of failure to install in a safe location. Arkon® is not responsible for any damages caused to vehicles, product, or people due to the installation or use of this product. Continued on page 2






Scan to email our Arkon® custome

TAB42AMPSHW | LockVise™ Metal Locking Tablet Holder with Drill-Base Mount and USB Cable



Adjusting the Tablet Holder Length


Unscrew the three screws/washers located at the back/center of the holder to modify the height of the tablet holder to match your tablet. Remember to retighten the screws/washers to ensure everything is securely in place.





Securing the Tablet Holder


To secure the tablet, simply press down on the locking arm located on the top of the tablet and use the included key to lock it in place.





Optional - Installing the foam padding if not using a tablet case


To properly set up the tablet holder, apply the foam padding and place it in the sides of the holder.





Optional - Switch to Non-locking

Take off the nut and washers from the front center of the holder that locks the position of the locking arm.



WARNING

CHOKING HAZARD - Keep out of reach from children under 8 yrs. as they can choke or suffocate on parts included with this system

WARNING

Arkon® is not responsible for any damages caused to your device or yourself due to the installation or use of this mount. Do not install Arkon® products near areas that intefere with operation of vehicles. Arkon® assumes no responsibility or liability for injury or death as a result of failure to install in a safe location. Arkon® is not responsible for any damages caused to vehicles, product, or people due to the installation or use of this product.








Need assistance? Scan to email our Arkon® customer service team.




TAB42AMPSHW | LockVise™ Metal Locking Tablet Holder with Drill-Base Mount and USB Cable








Re-insert screw to the front of the holder going through the locking arm



Switch to Non-locking

Attach knob to screw on the back of the holder's locking arm



WARNING

CHOKING HAZARD - Keep out of reach from children under 8 yrs. as they can choke or suffocate on parts included with this system

WARNING

Arkon® is not responsible for any damages caused to your device or yourself due to the installation or use of this mount. Do not install Arkon® products near areas that intefere with operation of vehicles. Arkon® assumes no responsibility or liability for injury or death as a result of failure to install in a safe location. Arkon® is not responsible for any damages caused to vehicles, product, or people due to the installation or use of this product.

