
TAB5RM8825ALHD | LockVise™ Locking Tablet Holder with 18" Seat Rail Mount



Includes:

- 1 LockVise™ Locking Tablet Holder Kit (TAB005KL)
- 1 Metal 4-Hole AMPS to 25mm Ball Adapter (APMAMPS25MM)
- 1 Robust™ Series 3.75 inch Shaft Arm (SP-RM250)
- 1 Seat Rail Floor Mount Pedestal Kit (RMH08825MM)

Important: Clean the application surface and make sure it is free of dirt, dust, and grease before installation.

Compatibility: This holder ensures compatibility with a wide range of tablets, including the most popular models, from 7"-10.5" in screen size.


Seat Rail Kit Hardware Specifications:


- 1 Metal conduit (SPCONDUIT)
- 1 Floor mounting bracket
- 4 Phillips rounded heads screws (18-8 Stainless Steel, M4.2 Screw Size 25mm Long)




Option 1 - Mounting the Passenger Seat Bolt

Utilize a socket wrench to loosen the bolt on the passenger seat track. Then, insert the seat track bolt bracket. Finally, tighten the seat track bolt securely.









2

Option 2 - Floor Mounting

Fasten the floor bracket to the mount. (Adjust the bracket's orientation as needed for your vehicle). Secure the floor/console bracket in place using screws.





WARNING

CHOKING HAZARD - Keep out of reach from children under 8 yrs. as they can choke or suffocate on parts included with this system

WARNING

Arkon® is not responsible for any damages caused to your device or yourself due to the installation or use of this mount. Do not install Arkon® products near areas that intefere with operation of vehicles. Arkon® assumes no responsibility or liability for injury or death as a result of failure to install in a safe location. Arkon® is not responsible for any damages caused to vehicles, product, or people due to the installation or use of this product.

Continued on page 2




Need assistance? Scan to email our Arkon® customer service team.

TAB5RM8825ALHD | LockVise™ Locking Tablet Holder with 18" Seat Rail Mount

Install the AMPS adapt Align the AMPS 4-hole

Install the AMPS adapter plate to the tablet holder


Align the AMPS 4-hole adapter on the back of the tablet holder. Then, insert the four mounting screws through the AMPS 4-hole ball adapter plate and into the tablet holder. Finally, secure the screws tightly.





Assemble the components


Locate the shaft arm and turn to the adjustment knob counterclockwise to expand. Insert the 25mm ball ends into the shaft. Turn clockwise to tighten.



5

Fully Assembled


Refer to the image below for the full assembled product.





Optional Step: Metal Conduit

Attach the included metal conduit to the console to help minimize vibration.



WARNING

CHOKING HAZARD - Keep out of reach from children under 8 yrs. as they can choke or suffocate on parts included with this system

WARNING

Arkon® is not responsible for any damages caused to your device or yourself due to the installation or use of this mount. Do not install Arkon® products near areas that intefere with operation of vehicles. Arkon® assumes no responsibility or liability for injury or death as a result of failure to install in a safe location. Arkon® is not responsible for any damages caused to vehicles, product, or people due to the installation or use of this product.

Continued on page 3



Need assistance? Scan to email our Arkon® customer service team.



TAB5RM8825ALHD | LockVise™ Locking Tablet Holder with 18" Seat Rail Mount




Adjusting the length of the tablet holder


To adjust the tablet holder, use a Phillips screwdriver. Loosen the screws in order to expand the width and depth of the holder.



Installing the tablet to the holder

Apply the locking keys to unlock the height adjustment of the tablet holder. Pull up on the top arm to expand the holder.






9

Locking the tablet into the holder


To secure the tablet, insert it into the holder and adjust the top accordingly. Once the tablet is in position, push the button on the back to lock it in place.



10

Optional - Installing the foam padding if not using a tablet case

To properly set up the tablet holder, find the packaging that contains the foam padding and place it in the center of the holder.



WARNING

CHOKING HAZARD - Keep out of reach from children under 8 yrs. as they can choke or suffocate on parts included with this system

WARNING

Arkon® is not responsible for any damages caused to your device or yourself due to the installation or use of this mount. Do not install Arkon® products near areas that intefere with operation of vehicles. Arkon® assumes no responsibility or liability for injury or death as a result of failure to install in a safe location. Arkon® is not responsible for any damages caused to vehicles, product, or people due to the installation or use of this product.

